

NRG French DOOR

70mm PVCu French Door



STANDARD

Chamfered bead



Sculptured bead

www.**platinum**nrg.co.uk

In our ongoing quest to provide the highest quality products for our customers, our designs and specifications are subject to change without notice.

NRG French DOOR





Two styles - modern (above) or classic scrolled (right)

All our French Doors incorporate balanced (a matching pair of) handles as standard for a symmetrical appearance.



STANDARD FINISHES Platinum NRG[®] CHAMFERED



Whitegrain

White



Oak

Rosewood

Interior Rosewood on White









Cream

Whitegrain

Interior Oak on White





Black on White

OPTIONAL FINISHES

A wide range of woodgrain and coloured-foil options are available for either or both internal and external faces or even differing frames and sashes.

Rosewood

Interior

Rosewood

on White

Platinum NRG

www.platinumnrg.co.uk

HINGES



NRG French DOOR



Designed for ease-of-use and a draft-free fit Stainless steel stabilising pins for enhanced security. Available in a choice of colours to match your door. Made from high quality, rust free, stainless steel for longer life performance.

LOCKS



2-hook, 2-roller system. Bi directional hooks with antijemmy feature. Brass forged to provide superior performance & weather sealing.







1* STAR Security Cylinder is **STANDARD** Our **1* STAR** cylinder resists bumping, drilling, picking and screw attacks. Keyed-alike only in pairs.

Our **3* STAR** cylinder resists all of the above with the addition of anti-snap protection. Multiple keyed-alike.



NRG French DOOR

THIS EXAMPLE SHOWS THE

CHAMFERED FRAME IN AN INWARD-OPENING CONFIGURATION

100% LEAD FREE PVCu Completely free of poisonous lead stabilisers.

GLOSS FINISH

Polished finish reduces cleaning and maintenance and retains a cleaner look for longer helping resist airborne pollutants and moulds.

DOUBLE-GLAZED

UNIT available for entire door or by using additional transoms and mullions just for parts of the door.

OPTIONAL MID-RAIL or **INTERNAL TRANSOM**

SOLID REINFORCED **PANELS** available for entire door or by using additional transoms and mullions just for parts of the door.


Weather bar

LOW PVCu threshold

Stub cill


77mm STANDARD or 57mm SLIM PVCu

FRAME ONLY - LOW THRESHOLD



87mm incl. cill

FRAME AND CILL



30mm

ALUMINIUM LOW THRESHOLD



15mm

ALUMINIUM PART M COMPLIANT



ALUMINIUM LOW THRESHOLD AND TRAY RAMP - ENHANCED PART M COMPLIANCE

